

Page 1/14

Safety Data Sheet

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Revision: 07.27.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: BC-501A

· Article number: No other identifiers

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Industrial uses.

- 1.3 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: Luxium Solutions
 17900 Great Lakes Parkway
 Hiram, OH 44234
 (440) 834-5600
 1.4 Emergency telephone number: Contract # 6493674
 U.S. & Canada• 1-800-255-3924 – VelocityEHS
- · International +1-813-248-0585 VelocityEHS


SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.



(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Revision: 07.27.2023

Trade name: BC-501A

(Cont'd. from page 1) Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. · Additional information: There are no other hazards not otherwise classified that have been identified. 0 % of the mixture consists of component(s) of unknown toxicity. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS). The product is classified and labelled according to the CLP regulation. · Hazard pictograms The following pictogram(s) are only for use within Europe: GHS09. GHS02 GHS07 GHS08 GHS09 · Signal word Warning · Hazard-determining components of labelling: m-xylene naphthalene · Hazard statements The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411. H226 Flammable liquid and vapour. H332 Harmful if inhaled. H315 Causes skin irritation. H351 Suspected of causing cancer. Route of exposure: Inhalation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P261 Avoid breathing mist/vapours/sprav. Wash thoroughly after handling. P264 Wear protective gloves/protective clothing/eye protection. P280 Ground/bond container and receiving equipment. P240 Keep container tightly closed. P233 P242 Use only non-sparking tools. Take precautionary measures against static discharge. P243 Use only outdoors or in a well-ventilated area. P271 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 In case of fire: Use foam, powder, or carbon dioxide for extinction. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. (Cont'd. on page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Revision: 07.27.2023

Trade name: BC-501A (Cont'd. from page 2) P308+P313 IF exposed or concerned: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. Store locked up. P405 P403+P235 Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH *2 Health = *2 ³ Fire = 3 FIRE REACTIVITY O Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 108-38-3	m-xylene	50-100%
EINECS: 203-576-3	Flam. Liq. 3, H226 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
Index number: 601-022-00-9	Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
CAS: 91-20-3	naphthalene	2,5-10%
EINECS: 202-049-5	🚯 Carc. 2, H351	
Index number: 601-052-00-2	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Acute Tox. 4, H302	
· Additional information:		

Additional information:

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Revision: 07.27.2023

Trade name: BC-501A

(Cont'd. from page 3) · After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Protect unharmed eye. Remove contact lenses if worn, if possible. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed Headache Breathing difficulty Coughing Dizziness Irritant to skin and mucous membranes. Irritant to eyes. Nausea in case of ingestion. Gastric or intestinal disorders when ingested. Hazards Danger of impaired breathing. May cause neurotoxic effects. May cause respiratory irritation. May be harmful in contact with skin. May be harmful if inhaled. Suspected of causing cancer. Route of exposure: Inhalation. • 4.3 Indication of any immediate medical attention and special treatment needed If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents: Water haze or fog Foam Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder
For safety reasons unsuitable extinguishing agents: Water with full jet Water spray
5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Revision: 07.27.2023

Trade name: BC-501A

(Cont'd. from page 4)

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit. Additional information Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water fog or haze.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation Use personal protective equipment as required. Keep away from ignition sources. Protect from heat. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. Prevent from spreading (e.g. by damming-in or oil barriers). Do not allow to penetrate the ground/soil. · 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Remove from the water surface (e.g. skim or suck off). Dispose contaminated material as waste according to section 13. Send for recovery or disposal in suitable receptacles. 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about fire - and explosion protection:

Highly flammable liquid and vapour.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

Flammable gas-air mixtures may form in empty receptacles.

Emergency cooling must be available in case of nearby fire.

Fumes can combine with air to form an explosive mixture.

Keep respiratory protective device available.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Trade name: BC-501A

Revision: 07.27.2023

(Cont'd. from page 5)

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Provide ventilation for receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

· Ingredients v	vith limit values that require monitoring at the workplace:	
108-38-3 m-x	ylene	
IOELV (EU)	Short-term value: 442 mg/m³, 100 ppm Long-term value: 221 mg/m³, 50 ppm Skin	
PEL (USA)	Long-term value: 435 mg/m³, 100 ppm	
REL (USA)	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm	
TLV (USA)	Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI	
EL (Canada)	Short-term value: 150 ppm Long-term value: 100 ppm	
91-20-3 naph	thalene	
IOELV (EU)	Long-term value: 30 mg/m ³ , 10 ppm	
PEL (USA)	Long-term value: 50 mg/m³, 10 ppm	
REL (USA)	Short-term value: 75 mg/m³, 15 ppm Long-term value: 50 mg/m³, 10 ppm	
TLV (USA)	Long-term value: 52 mg/m³, 10 ppm Skin; BEI	
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm Skin; IARC 2B	
EV (Canada)	Short-term value: 78 mg/m³, 15 ppm Long-term value: 52 mg/m³, 10 ppm	
	rther relevant information available.	
• PNECs No fu	rther relevant information available.	(Cont'd. on page 7)

Revision: 07.27.2023

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 01.10.2015

Trade name: BC-501A

	(Cont'd. from page
Ingredients with biological limit va	alues:
108-38-3 m-xylene	
BEI (USA) 1,5 g/g creatinine Medium: urine	
Time: end of shift	
Parameter: Methylhippur	ic acids
8.2 Exposure controls	
Personal protective equipment:	
General protective and hygienic m	
I he usual precautionary measures a Keep away from foodstuffs, beverage	re to be adhered to when handling chemicals.
Immediately remove all soiled and co	
Wash hands before breaks and at th	
Avoid contact with the eyes and skin	
Respiratory protection: Suitable re Protection of hands:	spiratory protective device recommended.
Frotection of hands.	
Protective gloves	
I Tolective gloves	
The glove material has to be imperm	eable and resistant to the product/ the substance/ the preparation.
Eye protection:	
Safety glasses	
Body protection: Protective work cl	
Risk management measures See S	osure into the environment Avoid release to the environment.
Risk management measures See 3	
SECTION 9: Physical and ch	emical properties
9.1 Information on basic physical	and chemical properties
General Information	
Appearance:	l invid
Form: Colour:	Liquid Blue
Odour:	Aromatic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Not Determined.
Boiling point/Boiling range:	137-144 °C (279-291 °F)
Flash point:	29 °C (84 °F)
	$29 \times (04 \text{ I})$ (Cont'd on page

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Not determined.

Product is not self-igniting.

Product is not explosive. However, formation of explosive air/

Revision: 07.27.2023

(Cont'd. from page 7)

Flammability (solid, gaseous): Not applicable. Auto/Self-ignition temperature: 463 °C (865 °F)

· Decomposition temperature:

· Self-igniting:

Kinematic:

• 9.2 Other information

· Danger of explosion:

	vapour mixtures are possible.
 Explosion limits: Lower: Upper: Oxidising properties 	1.1 Vol % 7.0 Vol % Not determined.
· Vapour pressure:	Not determined.
 Density: Relative density Vapour density at 20 °C (68 °F) Evaporation rate 	Not determined. Not determined. 3.7 g/cm³ (30,877 lbs/gal) (air = 1) Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity: Dynamic:	Not determined.

Not determined.

No further relevant information available.

SECTION 10: Stability and reactivity

, , , , , , , , , , , , , , , , , , ,	
· 10.1 Reactivity No further relevant information available.	
 10.2 Chemical stability Stable under normal temperatures and pressures. 	
Thermal decomposition / conditions to be avoided:	
No decomposition if used and stored according to specifications.	
10.3 Possibility of hazardous reactions	
Highly flammable liquid and vapour.	
Reacts with oxidising agents.	
Reacts with strong acids and alkali.	
Used empty containers may contain product gases which form explosive mixtures with a	air.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or a	tomised.
· 10.4 Conditions to avoid	
Keep ignition sources away - Do not smoke.	
Store away from oxidising agents.	
 10.5 Incompatible materials: Oxidizers, strong bases, strong acids 	
	(Cont'd. on page 9)

Printing date 01.10.2015

Trade name: BC-501A

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Trade name: BC-501A

Revision: 07.27.2023

(Cont'd. from page 8)

\cdot 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information 11.1 Information on toxicological effects · Acute toxicity Harmful if inhaled. · LD/LC50 values relevant for classification: 108-38-3 m-xylene Oral LD50 5000 mg/kg (rat) Dermal LD50 14100 mg/kg (rabbit) 91-20-3 naphthalene Oral LD50 490 mg/kg (rat) Dermal LD50 5000 mg/kg (rat) Primary irritant effect: · Skin corrosion/irritation Causes skin irritation. • Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · Acute effects (acute toxicity, irritation and corrosivity): Harmful if inhaled. Irritating to skin. May cause respiratory irritation. · Repeated dose toxicity: Possible risk of irreversible effects. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Suspected of causing cancer. Route of exposure: Inhalation. · Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. **SECTION 12: Ecological information** · 12.1 Toxicity · Aquatic toxicity: Toxic for aquatic organisms 91-20-3 naphthalene LC50 1-10 mg/l (daphnia)

• 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

(Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Trade name: BC-501A

Revision: 07.27.2023

(Cont'd. from page 9)

· Ecotoxical effects:

· Remark:

Toxic for fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · DOT	UN1993 Product is additionally classified as a MARINE POLLUTANT based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.
 ADR, IMDG, IATA 14.2 UN proper shipping name 	UN1993
Limited Quantity for packages less than gal).	30 kg (66 lb) and inner packagings less than 5 L (1.3
DOT, IATA	Flammable liquids, n.o.s. (Xylenes, naphthalene) (Cont'd. on page 11)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 01.10.2015

Revision: 07.27.2023

Trade name: BC-501A · ADR

ADR IMDG 14.3 Transport hazard class(es) DOT	(Cont'd. from page 10) 1993 FLAMMABLE LIQUID, N.O.S. (XYLENES, NAPHTHALENE), ENVIRONMENTALLY HAZARDOUS FLAMMABLE LIQUID, N.O.S. (XYLENES, NAPHTHALENE), MARINE POLLUTANT
Class	3 Flammable liquids.
Label	3
ADR	
Class	3 (F1) Flammable liquids.
Label	3
IMDG	
IMDG	
Class	3 Flammable liquids.
Label	3
· IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
DOT, ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substances: naphthalene
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30
EMS Number:	F-E,S-E
14.7 Transport in bulk according to Anr	
Marpol and the IBC Code	Not applicable.

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 01.10.2015

Revision: 07.27.2023

Trade name: BC-501A

(Cont'd. from page 11)

_ _ _

_ _ _ _ _

• Transport/Additional information:

· ADR

3
D/E
UN 1993 FLAMMABLE LIQUID, N.O.S. (XYLENES, NAPHTHALENE), 3, III

_ _ _ _ _ _ _ _ _ _ _ _ _

15.1 Safety, health and environmental regulations/legislation specific for t United States (USA) SARA	he substance or mixtu
Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
All ingredients are listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
91-20-3 naphthalene	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
108-38-3 m-xylene	1
91-20-3 naphthalene	C, CB
IARC (International Agency for Research on Cancer)	
108-38-3 m-xylene	3
91-20-3 naphthalene	2
TLV (Threshold Limit Value established by ACGIH)	
108-38-3 m-xylene	A
91-20-3 naphthalene	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Revision: 07.27.2023

Trade name: BC-501A

· Canada

(Cont'd. from page 12)

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

· Directive 2012/18/EU

Named dangerous substances - ANNEX I

None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H332 Harmful if inhaled.
H351 Suspected of causing cancer. Route of exposure: Inhalation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 **Sources**

(Cont'd. on page 14)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 01.10.2015

Revision: 07.27.2023

Trade name: BC-501A

(Cont'd. from page 13)

Website, European Chemicals Agency (http://http://echa.europa.eu/) Website, US EPA Substance Registry Services (http://http://ofmpub.epa.gov/sor_internet/registry/substreg/ home/overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (https://www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com